

APPENDIX A

©1995 Civix Corporation

FOR U.S. PATENT APPLICATION ENTITLED
"SYSTEM AND METHODS FOR REMOTELY ACCESSING
A SELECTED GROUP OF ITEMS OF INTEREST FROM A DATABASE"

FULL CODE LISTING FOR VERSION 0.3 OF IN_VICINITY LOCATOR
 Copyright 1994-95 OXKO Corporation

```

Sub AboutCivix_Click ()
    frmAbout.Show 1
End Sub

Sub cmbCategories_Click ()
    cmdUpdate.Enabled = True
End Sub

Sub cmbHeadings_Click ()
    If curHeadingStr <> cmbHeadings.Text Then
        DeleteCategories
        curHeadingStr = cmbHeadings.Text
        GetHeadingIndex (curHeadingStr)
        GetCategories (curHeadingIndex)
        If NumberOfCategories > 0 Then
            curCategoryStr = CategorySet!Category
            GetCategoryIndex (curCategoryStr)
            CategorySet.MoveFirst
            For i = 1 To NumberOfCategories - 1
                cmbCategories.AddItem CategorySet!Category
                CategorySet.MoveNext
            Next
            cmbCategories.AddItem CategorySet!Category
            cmbCategories.Text = cmbCategories.List(0)
            cmdUpdate.Enabled = True
        End If
    End If
End Sub

Sub cmdUpdate_Click ()
    If ItemNamesOn = True Then
        TItemNamesOn = True
        HideNames (NumberOfItems)
    End If
    HideItems

```

```

curCategoryStr = cmbCategories.Text
GetCategoryIndex (curCategoryStr)

Panel3D7.Caption = Cities(CurrentCityIndex).Name
Panel3D9.Caption = Areas(CurrentLocation).Name
Panel3D11.Caption = curCategoryStr
cmdUpdate.Enabled = False
ShowItems (curCategoryIndex)
If TItemNamesOn = True Then
    ShowNames (NumberOfItems)
End If
lblPopItem.Visible = False

End Sub

Sub cmdZoom_Click ()
    lblPopCityArea.Visible = False
    If ZoomLevel = "City" Then 'zoom up to country map
        If AreaNamesOn Then
            HideNames (NumberOfAreas)
        End If
        HideAreas
        ShowCities
        picMain.Picture = picUSA.Picture
        cmdZoom.Visible = False
        Panel3D1.Visible = False
        Panel3D4.Visible = True
        lblUSMapCaption.Visible = False
        Panel3D7.Caption = "None"
        Panel3D9.Caption = "None"
        Panel3D11.Caption = "None"
        lblPopCityArea.Visible = False
        ZoomLevel = "Country"
        HelpShowNames.Checked = False
        If CityNamesOn Then
            ShowNames (NumberOfCities)
        End If
    End If
End Sub

If ZoomLevel = "Location" Then 'zoom up to city map

```

```

If ItemNamesOn Then
    HideNames (NumberOfItems)
End If
picMain.Picture = CityPicture.Picture
cmdZoom.Caption = "U.S. Map"
HideItems
ShowAreas
ZoomLevel = "City"
picPort.Visible = False
picMain.Visible = True
Panel3D3.Visible = False
cmbCategories.Visible = False
cmbHeadings.Visible = False
cmdUpdate.Visible = False
Panel3D2.Visible = False
lblUSMapCaption.Visible = True
p3DItemInfo.Visible = False
p3DStreetAddLbl.Visible = False
p3DStreetAdd.Visible = False
p3DPhoneLbl.Visible = False
p3DPhone.Visible = False
p3DFaxLbl.Visible = False
p3DFaxNumber.Visible = False
'p3DDescLbl.Visible = False
'p3DDescription.Visible = False
picSponsorAd.Visible = False

curCategoryStr = ""
Panel3D9.Caption = "None"
Panel3D11.Caption = "None"
HelpShowNames.Checked = False
If AreaNamesOn Then
    ShowNames (NumberOfAreas)
End If
End If
End Sub

Sub FileExit_Click ()
End

```

```

End Sub

Sub FilePrint_Click ()
    CMDialog1.CancelError = True
    On Error GoTo ErrHandler

    CMDialog1.Action = 5
    PrintForm

ErrHandler:
    Exit Sub
End Sub

Sub Form_Load ()

    ReDim Cities(1)

    'delivery only
    'Set DB = OpenDatabase("civix.mdb")

    'development only
    Set DB = OpenDatabase("t:\client\civix\proto\current\civix.mdb")
    Set GlobalSet = DB.Createdynaset("SELECT * from Globals")

    PortXPix = GlobalSet!PortPixelsX
    PortYPix = GlobalSet!PortPixelsY
    CityXPix = GlobalSet!CityPixelsX
    CityYPix = GlobalSet!CityPixelsY
    PortXGrid = GlobalSet!Port Width]
    PortYGrid = GlobalSet!Port Height]
    MsgBox "XP: " & PortXPix & "YP: " & PortYPix & "XG: " & PortXGrid & "YG: " & PortYGrid

    Set CitySet = DB.Createdynaset("CitySet")
    Panel3D7.Caption = "None"
    Panel3D9.Caption = "None"
    Panel3D11.Caption = "None"
    GetNumberOfCities
    GetCities

```

```

PixelsWide = Form1.picMain.Width + 10
PixelsHigh = Form1.picMain.Height + 15
ZoomLevel = "Country"
End Sub

```

```

Sub HelpShowNames_Click ()
    Select Case ZoomLevel
    Case "Country"
        If CityNamesOn Then
            HideNames (NumberOfCities)
            CityNamesOn = False
        Else
            ShowNames (NumberOfCities)
            CityNamesOn = True
        End If
    Case "City"
        If AreaNamesOn Then
            HideNames (NumberOfAreas)
            AreaNamesOn = False
        Else
            ShowNames (NumberOfAreas)
            AreaNamesOn = True
        End If
    Case "Location"
        If ItemNamesOn Then
            HideNames (NumberOfItems)
            ItemNamesOn = False
        Else
            ShowNames (NumberOfItems)
            ItemNamesOn = True
        End If
    End Select
End Sub

```

```

Sub HideNames (NumNames)

    HelpShowNames.Checked = False
    Select Case ZoomLevel

```

```

Case "Country"
  For i = 1 To NumNames
    Unload LabelName(i)
  Next
Case "City"
  For i = 1 To NumNames
    Unload LabelName(i)
  Next
Case "Location"
  For i = 1 To NumNames
    Unload LabelNameb(i)
  Next
End Select
End Sub

Sub MoveToHreaMap (Index As Integer)
  If CityNamesOn = True Then
    HideNames (NumberOfCities)
  End If
  picCityPick(Index).BackColor = &H0&
  picUSA.Picture = picMain.Picture
  CityBmpName = GetCityBmpName(Index)

  'use the next line for delivery only
  'picMain.Picture = LoadPicture(CityBmpName)

  'use the next line during development only
  picMain.Picture = LoadPicture("t:\client\civix\proto\current\" & CityBmpName)

  HideCities
  CurrentCityKey = Cities(Index).Key
  CurrentCityIndex = Index
  Panel3D7.Caption = Cities(Index).Name
  Panel3D9.Caption = "None"
  Panel3D11.Caption = "None"
  lblUSMapCaption.Visible = True
  ShowAreas
  cmdZoom.Caption = "U.S. Map"
  lblPopCityArea.Visible = False

```

```

lblPopItem.Visible = False
ZoomLevel = "City"
If AreaNamesOn = True Then
    ShowNames (NumberOfAreas)
End If

End Sub

Sub MoveToLocationMap (Index As Integer)
    If AreaNamesOn = True Then
        HideNames (NumberOfAreas)
    End If
    lblPopCityArea.Visible = False
    lblPopItem.Visible = False
    picCityPick(Index).BackColor = &H0&
    Form1.MousePointer = 1
    CityPicture.Picture = picMain.Picture

    AreaBmpName = GetAreaBmpName(Index)

    'use the next line for delivery only
    'picMain.Picture = LoadPicture(AreaBmpName)

    'use the next line during development only
    picPort.Picture =
        LoadPicture("t:\client\civix\proto\current\" &
            AreaBmpName)

    CurrentLocation = Index
    HideAreas
    lblUSMapCaption.Visible = False
    p3DItemInfo.Visible = True
    p3DStreetAddLbl.Visible = True
    p3DPhoneLbl.Visible = True
    p3DFaxLbl.Visible = True
    'p3DDescLbl.Visible = True
    picSponsorAd.Visible = True

    p3DStreetAdd.Visible = True

```



```

CategorySet.MoveNext
Next
cmbCategories.AddItem CategorySet!Category
cmbCategories.Text = cmbCategories.List(0)
CategorySet.MoveFirst
curCategoryStr = cmbCategories.Text
GetCategoryIndex (curCategoryStr)
ShowItems (curCategoryIndex)
End If
Panel3D7.Caption = Cities(CurrentCityIndex).Name
Panel3D9.Caption = Areas(CurrentLocation).Name
Panel3D11.Caption = curCategoryStr
cmdZoom.Caption = Cities(CurrentCityIndex).Name & " Map"
ZoomLevel = "Location"
If ItemNamesOn = True Then
    ShowNames (NumberOfItems)
End If

End Sub

Sub picAreaPick_Click (Index As Integer)
    MoveToLocationMap (Index)
End Sub

Sub picAreaPick_GotFocus (Index As Integer)
    picAreaPick(Index).BackColor = &H0&
    If Not AreaNamesOn Then
        lblPopCityArea.Caption = Areas(Index).Name

        topl = picAreaPick(Index).Top
        left1 = picAreaPick(Index).Left + 10
        If (left1 + lblPopCityArea.Width) > picMain.Width Then
            left1 = picMain.Width - lblPopCityArea.Width
            topl = topl - 20
        End If
        If topl < 0 Then
            topl = topl + 10
        End If
        lblPopCityArea.Top = topl
    End Sub

```

```

    topl = topl - 30
End If
If topl < 0 Then
    topl = topl + 10
End If
lblPopCityArea.Top = topl
lblPopCityArea.Left = left1
lblPopCityArea.Visible = True
End If

End Sub

Sub picCityPick_KeyPress (Index As Integer, KeyAscii As Integer)
    If KeyAscii = 13 Or KeyAscii = 43 Then
        MoveToAreaMap (Index)
    End If
End Sub

Sub picCityPick_LostFocus (Index As Integer)
    picCityPick(Index).BackColor = &HFFFFFFF
End Sub

Sub picCityPick_MouseMove (Index As Integer, Button As Integer,
    Shift As Integer, X As Single, Y As
    Single)

    Form1.MousePointer = 10
    picCityPick(Index).SetFocus

End Sub

Sub picItemPick_GotFocus (Index As Integer)

    picItemPick(Index).BackColor = &H0&
    If Not ItemNamesOn Then
        lblPopItem.Caption = Items(Index).Name
        topl = picItemPick(Index).Top
    End If
End Sub

```

```

left1 = picItemPick(Index).Left + 10
If (left1 + lblPopItem.Width) > picPort.Width Then
    left1 = picPort.Width - lblPopItem.Width
    topl = topl - 10
End If
If topl < 0 Then
    topl = topl + 10
End If
lblPopItem.Top = topl
lblPopItem.Left = left1
lblPopItem.Visible = True
p3DStreetAdd.Caption = Items(Index).StreetAdd
p3DPhone.Caption = Items(Index).Phone
p3DFaxNumber.Caption = Items(Index).Fax
p3DDescription.Caption = Items(Index).Description
p3DItemInfo.Caption = "Item Data for " &
    Items(Index).Name
End If

End Sub

Sub picItemPick_LostFocus (Index As Integer)
    picItemPick(Index).BackColor = &HFFFFFFF
End Sub

Sub picItemPick_MouseMove (Index As Integer, Button As Integer,
    Shift As Integer, X As Single, Y As
    Single)
    Form1.MousePointer = 10
    picItemPick(Index).SetFocus
End Sub

Sub picMain_Click ()
    Beep
End Sub

```

```

Sub picMain_MouseMove (Button As Integer, Shift As Integer, X As
    Single, Y As Single)

```

```

    Form1.MousePointer = 1
End Sub

```

```

Sub picPort_Click ()
    Beep
End Sub

```

```

Sub picPort_MouseMove (Button As Integer, Shift As Integer, X As
    Single, Y As Single)
    Form1.MousePointer = 1

```

```

End Sub

```

```

Sub ShowNames (NumNames)

```

```

    lblPopCityArea.Visible = False
    lblPopItem.Visible = False
    HelpShowNames.Checked = True

```

```

Select Case ZoomLevel
Case "Country"

```

```

    For i = 1 To NumNames
        Load LabelName(i)
        LabelName(i).Caption = Cities(i).Name
        topl = picCityPick(i).Top
        left1 = picCityPick(i).Left + 10
        If topl < 0 Then
            topl = topl + 4
        End If
        LabelName(i).Top = topl
        LabelName(i).Left = left1
        LabelName(i).Visible = True
    Next

```

```

Case "City"
    For i = 1 To NumNames
        Load LabelName(i)
        LabelName(i).Caption = Areas(i).Name
    Next

```

```

top1 = picAreaPick(i).Top
left1 = picAreaPick(i).Left + 10
If top1 < 0 Then
    top1 = top1 + 4
End If
LabelName(i).Top = top1
LabelName(i).Left = left1
LabelName(i).Visible = True
Next
Case "Location"
For i = 1 To NumNames
    Load LabelNameb(i)
    LabelNameb(i).Caption = Items(i).Name
    top1 = picItemPick(i).Top
    left1 = picItemPick(i).Left + 10
    If top1 < 0 Then
        top1 = top1 + 4
    End If
    LabelNameb(i).Top = top1
    LabelNameb(i).Left = left1
    LabelNameb(i).Visible = True
Next
End Select
End Sub

```

```

Sub cmdAboutOK_Click ()
    frmAbout.Hide
End Sub

```

```

'
' Copyright 1994 The OXKO Corporation
'
' This software developed by The OXKO

```

Corporation for CIVIX. The ownership

of the software shall tranfer to CIVIX

upon payment as arranged.

Global NumberOfCities As Long
Global NumberOfAreas As Long
Global NumberOfItems As Long
Global NumberOfCategories As Long
Global NumberOfHeadings As Long
Global ZoomLevel As String
Global CitySet As Dynaset
Global AreaSet As Dynaset
Global ItemSet As Dynaset
Global CategorySet As Dynaset
Global HeadingsSet As Dynaset
Global GlobalSet As Dynaset

Global CurrentCityIndex As Long
Global CurrentLocation As Long
Global CurrentCityKey As Long
Global curCategoryStr As String
Global curCategoryIndex As Integer
Global curHeadingStr As String
Global curHeadingIndex As Integer
Global Db As Database
Type CityRecord

Name As String
MapName As String
Key As Long
XCoord As Long
YCoord As Long
MaxXGrid As Long
MaxYGrid As Long
End Type
Type AreaRecord
Name As String

```

MapName As String
XCoord As Long
YCoord As Long

End Type

Type ItemRecord
    Name As String
    StreetAdd As String
    Key As Long
    Category As String
    XCoord As Long
    YCoord As Long
    Directions As String
    Description As String
    Phone As String
    Fax As String
    OwnerManager As String
    Title As String
    OtherAddress As String

End Type

Global Cities() As CityRecord
Global Areas() As AreaRecord
Global Items() As ItemRecord
Global CityBmpName As String
Global AreaBmpName As String
Global CityNamesOn As Integer
Global AreaNamesOn As Integer
Global ItemNamesOn As Integer
Global PortXPix As Integer
Global PortYPix As Integer
Global CityXPix As Integer
Global CityYPix As Integer
Global PortXGrid As Integer
Global PortYGrid As Integer

Sub DeleteCategories ()
    CategorySet.Close
    Form1.cmbCategories.Clear
End Sub

```



```

Function GetAreaBmpName (Index As Integer)

    GetAreaBmpName = Areas(Index).MapName

End Function

Sub GetCategories (Key As Integer)

    Set CategorySet = Db.Createdynaset("SELECT DISTINCTROW
Categories.Category, Categories.Index FROM Categories
WHERE (Categories.Heading = " & Key & ") WITH
OWNERACCESS OPTION; ")

    If Not CategorySet.EOF Then
        CategorySet.MoveLast
        NumberOfCategories = CategorySet.RecordCount
        CategorySet.MoveFirst
        MsgBox "Cats : " & NumberOfCategories
    Else
        MsgBox "No Items for this Heading!"
    End If

End Sub

Sub GetCategoryIndex (curCategoryStr As String)

    CategorySet.MoveFirst
    While Not CategorySet.EOF
        If CategorySet!Category = curCategoryStr Then
            curCategoryIndex = CategorySet!Index
        End If
    CategorySet.MoveNext
    Wend

End Sub

Sub GetCities ()
    Index = 1
    CitySet.MoveFirst

```

```

While Not CitySet.EOF
    Cities(Index).MapName = CitySet!FileName
    Cities(Index).Key = CitySet!CityKey
    Cities(Index).Name = CitySet!Name
    Cities(Index).XCoord = CitySet!XCoord
    Cities(Index).YCoord = CitySet!YCoord
    Cities(Index).MaxXGrid = CitySet!MaxXGrid
    Cities(Index).MaxYGrid = CitySet!MaxYGrid
    Load Form1.picCityPick(Index)
    Form1.picCityPick(Index).Top = Cities(Index).YCoord
    Form1.picCityPick(Index).Left = Cities(Index).XCoord
    Form1.picCityPick(Index).Visible = True
    CitySet.MoveNext
    Index = Index + 1
Wend

```

End Sub

```
Function GetCityBmpName (Index As Integer)
```

```
    GetCityBmpName = Cities(Index).MapName
```

End Function

```
Sub GetHeadingIndex (HeadingStr As String)
```

```
    HeadingsSet.MoveFirst
```

```
    While Not HeadingsSet.EOF
```

```
        If HeadingsSet!Heading = HeadingStr Then
            curHeadingIndex = HeadingsSet!Index
```

```
        End If
```

```
        HeadingsSet.MoveNext
```

```
Wend
```

End Sub

```

Sub GetHeadings ( )

    Set HeadingsSet = Db.CreateDynaset("SELECT DISTINCTROW
        CatHeadings.Heading, CatHeadings.Index FROM CatHeadings
        WITH OWNERACCESS OPTION;")

    If Not HeadingsSet.EOF Then
        HeadingsSet.MoveLast
        NumberOfHeadings = HeadingsSet.RecordCount
        HeadingsSet.MoveFirst
        curHeadingStr = HeadingsSet!Heading
    Else
        MsgBox "No Headings!"
    End If

End Sub

Sub GetNumberOfCities ( )

    If Not CitySet.EOF Then
        CitySet.MoveLast
        NumberOfCities = CitySet.RecordCount
    Else
        MsgBox "No Cities, cannot continue"
    End If

    ReDim Cities(NumberOfCities)

End Sub

Sub HideAreas ( )

    If NumberOfAreas > 0 Then
        For i = 1 To NumberOfAreas
            Form1.picAreaPick(i).Visible = False
        Next
    End If

```

```

End Sub

Sub HideCities ()
    Form1.cmdZoom.Visible = True
    Form1.Panel3D1.Visible = True
    Form1.Panel3D4.Visible = False
    For i = 1 To NumberOfCities
        Form1.picCityPick(i).Visible = False
    Next
End Sub

Sub HideItems ()
    For i = 1 To NumberOfItems
        Unload Form1.picItemPick(i)
    Next
    ReDim Items(1)
    NumberOfItems = 0
End Sub

Sub ShowAreas ()
    If NumberOfAreas > 0 Then
        For i = 1 To NumberOfAreas
            Unload Form1.picAreaPick(i)
        Next
        ReDim Areas(1)
        NumberOfAreas = 0
    End If

    Set AreaSet = Db.Createdynaset("SELECT Locations.City,
        Locations.Name, Maps.FileName, Locations.LocationKey,
        GridCoord.XCoord, GridCoord.YCoord FROM Locations,
        Maps, GridCoord, Locations LEFT JOIN Maps ON
        Locations.MapName = Maps.Name, Locations LEFT JOIN
        GridCoord ON Locations.GridLoc = GridCoord.GridKey
        where city = " & CurrentCityKey & " WITH OWNERACCESS
        OPTION;")

```

```

If Not AreaSet.EOF Then
    AreaSet.MoveLast
    NumberOfAreas = AreaSet.RecordCount
Else
    Exit Sub
End If

ReDim Areas(NumberOfAreas)

Index = 1
AreaSet.MoveFirst
While Not AreaSet.EOF
    Areas(Index).MapName = AreaSet.FileName
    Areas(Index).Name = AreaSet.Name
    Areas(Index).XCoord = AreaSet.XCoord
    Areas(Index).YCoord = AreaSet.YCoord
    Load Form1.picAreaPick(Index)
    'MsgBox "CityXPix: " & CityXPix & " CityYPix: " &
        "CityYPix
    'MsgBox "CityMaxX: " & Cities(CurrentCityIndex).MaxXGrid
        & " CityYMax: " &
        Cities(CurrentCityIndex).MaxYGrid
    'MsgBox "X: " & Areas(Index).XCoord & " Y: " &
        Areas(Index).YCoord

    Form1.picAreaPick(Index).Left = CityXPix *
        (Areas(Index).XCoord /
        Cities(CurrentCityIndex).MaxXGrid)

    Form1.picAreaPick(Index).Top = CityYPix *
        (Areas(Index).YCoord /
        Cities(CurrentCityIndex).MaxYGrid)

```

AreaSet.MoveNext

Index = Index + 1

Wend

End Sub

Sub ShowCities ()

Form1.cmdZoom.Visible = False

Form1.Panel3D1.Visible = False

Form1.Panel3D4.Visible = True

For i = 1 To NumberOfCities

Form1.picCityPick(i).Visible = True

Form1.picCityPick(i).BackColor = &HFFFFFFF

Next

End Sub

Sub ShowItems (Key As Integer)

MaxX = Areas(CurrentLocation).XCoord + Int(.5 * PortXGrid)-1

Minx = Areas(CurrentLocation).XCoord - Int(.5 * PortXGrid)

MaxY = Areas(CurrentLocation).YCoord + Int(.5 * PortYGrid)-1

MinY = Areas(CurrentLocation).YCoord - Int(.5 * PortYGrid)

Set ItemSet = Db.Createdynaset("SELECT DISTINCTROW

Items.Name, Items.Description, Items.Directions,

Items.ItemKey, GridCoord.XCoord, GridCoord.YCoord,

Items.StreetAdd, Items.Phone, Items.Fax,

Items.OwnerManager, Items.Title, Items.OtherAddress,

Categories.Index FROM Items, Categories, Cities,

GridCoord, CatsForItems, Cities LEFT JOIN Items ON

Cities.CityKey = Items.CityKey, Items LEFT JOIN

GridCoord ON Items.GridLoc = GridCoord.GridKey, Items

LEFT JOIN CatsForItems ON Items.ItemKey =

CatsForItems.ItemRef, CatsForItems LEFT JOIN Categories

ON CatsForItems.CatRef = Categories.Index WHERE

```
((Cities.CityKey = " & CurrentCityKey & ") And
(Categories.Index = " & Key & ") And (GridCoord.XCoord
<= " & MaxX & ") And (GridCoord.XCoord >= " & Minx & ")
And (GridCoord.YCoord <= " & MaxY & ") And
(GridCoord.YCoord >= " & MinY & ")) WITH OWNERACCESS
OPTION;")
```

```
If Not ItemSet.EOF Then
    ItemSet.MoveLast
    NumberOfItems = ItemSet.RecordCount
    'MsgBox " Items: " & NumberOfItems
Else
    'MsgBox "No Items for this Category!"
    Exit Sub
End If
```

```
ReDim Items(NumberOfItems)
```

```
Index = 1
ItemSet.MoveFirst
While Not ItemSet.EOF
    Items(Index).Key = ItemSet!ItemKey
    Items(Index).Name = ItemSet!Name
    Items(Index).Description = ItemSet!Description
    Items(Index).Directions = ItemSet!Directions
    Items(Index).XCoord = ItemSet!XCoord
    Items(Index).YCoord = ItemSet!YCoord
    Items(Index).StreetAdd = ItemSet!StreetAdd
    Items(Index).Phone = ItemSet!Phone
    Items(Index).Fax = ItemSet!Fax
    Items(Index).OwnerManager = ItemSet!OwnerManager
    Items(Index).Title = ItemSet!Title
    Items(Index).OtherAddress = ItemSet!OtherAddress
    Load Form1.picItemPick(Index)
```

```
Form1.picItemPick(Index).Top = Int((((Items(Index).YCoord
- Areas(CurrentLocation).YCoord) / PortYGrid) +
.5) * (PortYPix))
```

```

Form1.picItemPick(Index).Left =
    Int((((Items(Index).XCoord -
        Areas(CurrentLocation).XCoord) / PortXGrid) + .5)
        * (PortXPix))

```

```

'MsgBox " Top: " & Form1.picItemPick(Index).Top & "
    Left: " & Form1.picItemPick(Index).Left

```

```

Form1.picItemPick(Index).Visible = True
ItemSet.MoveNext
Index = Index + 1
Wend

```

End Sub

```

Sub Timer1_Timer ()
    Form1.Show 0
    Splash.Hide
    Timer1.Enabled = False
    Unload Splash

```

End Sub

United States Patent & Trademark Office
Office of Initial Patent Examination

Application papers not suitable for publication

SN 09816626 Mail Date 3/23/01

- ☐ Non-English Specification
- ☐ Specification contains drawing(s) on page(s) _____ or table(s) _____
- ☐ Landscape orientation of text ☐ Specification ☐ Claims ☐ Abstract
- ☐ Handwritten ☐ Specification ☐ Claims ☐ Abstract
- ☐ More than one column ☐ Specification ☐ Claims ☐ Abstract
- ☐ Improper line spacing ☐ Specification ☐ Claims ☐ Abstract
- ☒ Claims not on separate page(s)
- ☐ Abstract not on separate page(s)
- ☐ Improper paper size -- Must be either A4 (21 cm x 29.7 cm) or 8-1/2"x 11"
- ☐ Specification page(s) _____ ☐ Abstract
- ☐ Drawing page(s) _____ ☐ Claim(s)
- ☐ Improper margins
- ☐ Specification page(s) _____ ☐ Abstract
- ☐ Drawing page(s) _____ ☐ Claim(s)
- ☐ Not reproducible Section
- Reason ☐ Specification page(s) _____
- ☐ Paper too thin ☐ Drawing page(s) _____
- ☐ Glossy pages ☐ Abstract
- ☐ Non-white background ☐ Claim(s)
- ☐ Drawing objection(s)
- ☐ Missing lead lines, drawing(s) _____
- ☐ Line quality is too light, drawing(s) _____
- ☐ More than 1 drawing and not numbered correctly
- ☐ Non-English text, drawing(s) _____
- ☐ Excessive text, drawing(s) _____
- ☐ Photographs capable of illustration, drawing(s) _____